


WPC Series

- Wearable
- WPC 5W
- WPC 15W
- Automotive

- Dual Mode
- AirFuel (A4WP)
- Module
- Customize Design



Wearable



Pic	W	GOTREND P/N	Size(mm)	Type	Inductance(uH)
	1W	GW1110PR-SERIES	R11.0 x 1.0	RX	33.0 +/- 10%
	1W	GW161007PR-SERIES	16.0 x 10.0 x 0.78	RX	18.0 +/- 10%
	1W	GW1610PR-SERIES	R15.8 x 1.0	RX	9.0 +/- 10%
	1W	GW2010PR-SERIES	R20.0 x 1.0	RX	13.0 +/- 10%
	2.5W	GW271709PR-SERIES	27.0 x 17.0 x 0.9	RX	18.0 +/- 10%
	2.5W	GW2911PT-SERIES	R29.0 x 1.1	RX	10.0 +/- 10%
	2.5W	GW323211PT-SERIES	32.0 x 32.0 x 1.1	TX/RX	6.3 +/- 10%
	2.5W	GW242418PT-SERIES	24.0 x 24.0 x 1.8	TX	6.3 +/- 10%
	2.5W	GW2418PT-SERIES	R24.0 x 1.8	TX	6.3 +/- 10%
	2.5W	GW363618PT-SERIES	36.0 x 36.0 x 1.8	TX	6.5 +/- 10%
	2.5W	GW3011PT-SERIES	R29.5 x 1.1	TX/RX	10.0 +/- 10%












WPC - 5W



Pic	Qi	GOTREND P/N	Size(mm)	Type	Inductance(uH)
	-	GW302510PR-SERIES	30.0 x 25.0 x 1.2	RX	26.0 +/- 10%
	-	GW383212PR-SERIES	38.0 x 32.0 x 1.4	RX	11.1 +/- 10%
	-	GW443110PR-SERIES	44.0 x 31.0 x 1.0	RX	9.95 +/- 5%
	-	GW483209PR-SERIES	48.0 x 32.0 x 0.9	RX	12.7 +/- 10%
	A10	GW505006PT-SERIES	50.0 x 50.0 x 5.2	TX	23.5 +/- 8%
	A11	GW5036PT-SERIES	R50.0 x 3.65	TX	6.3 +/- 5%
	A11	GW5030PT-SERIES	R50.0 x 3.06	TX	6.3 +/- 10%
	A11	GW04738PT-SERIES	R47.0 x 3.65	TX	6.3 +/- 10%
	A6/A13	GW1065705PT-SERIES	106.5 x 53.0 x 4.0	TX	12.5 +/- 10% 11.5 +/- 10%
	A28	GW945240PT-SERIES	94.0 x 52.0 x 4.0	TX	6.9 +/- 10% 6.4 +/- 10%
	A28	GW08805343PT-SERIES	88.0 x 53.5 x 4.3	TX	6.9 +/- 10%


WPC - 15W



Pic	Qi	GOTREND P/N	Size(mm)	Type	Inductance(uH)
	A29	GW05230PR-SERIES	R52.0 x 3.0	RX	8.5 +/- 6%
	Ultra thin RX	GW05005004PR-SERIES	50.0 x 50.0 x 0.4	RX	11.2 +/- 10%
	MP-A1	GW505006PT-SERIES	50.0 x 50.0 x 5.2	TX	23.5 +/- 8%
	MP-A4	GW535304PT-SERIES	53.0 x 53.0 x 3.5	TX	10.0 +/- 10%
	MP-A2	GW505037PT-SERIES	50.0 x 50.0 x 3.7	TX	10.0 +/- 10%
	MP-A13	GW09805640PT-SERIES	98.0 x 56.5 x 4.0	TX	12.5 +/- 10% 11.5 +/- 10%
	MP-A23	GW09805641PT-SERIES	98.0 x 56.0 x 4.1	TX	9.8 +/- 10% 10.2 +/- 10%
	Magsafe	GW04318PT-SERIES	R43.5 x 2.0	TX	6.7 +/- 10%
	Magsafe	GW05430RMPT-SERIES	R54.0 x 3.0	TX	6.8 +/- 10%
	MP-A5	GW535306PT-SERIES	53.0 x 53.0 x 6.5	TX	10.0 +/- 10%
	MP- A13(5coil)	GW15006038PT-SERIES	150.0 x 60.0 x 3.8	TX	9.8 +/- 10% 10.2 +/- 10%



Automotive



Pic	GOTREND P/N	Size(mm)	Type	Inductance(uH)
	GW1065705PT-SERIES	106.0 x 53.0 x 4.0	TX	12.5 +/- 10% 11.5 +/- 10%
	GW1155840PT-SERIES	115.0 x 58.0 x 4.0	TX	9.8 +/- 10% 10.2 +/- 10%
	GW09805640PT-SERIES	98.0 x 56.5 x 4.0	TX	12.5 +/- 10% 11.5 +/- 10%
	GW1256834PT-SERIES	125.0 x 68.5 x 3.4	TX	16.5 +/- 5% 15.0 +/- 5%
	GW965643PT-SERIES	96.0 x 56.0 x 4.3	TX	12.5 +/- 15% 11.5 +/- 15%
	GW09806038PT-SERIES	98.85 x 60.55 x 3.85	TX	12.5 +/- 10% 11.5 +/- 10%
	GW09705640PT-SERIES	98.0 x 56.0 x 4.0	TX	12.5 +/- 10% 11.5 +/- 10%

Dual Mode




Pic	Gotrend P/N	Size(mm)	Type	Inductance(uH)
	GW735508PR-SERIES	73.0 x 55.0 x 0.8	WPC+Airfeul	Resonant coil 1.30 +/- 3% (6.78MHz) Inductive coil 23.0 +/- 3% (200KHz)
	GW524807PR-SERIES	52.0 x 48.0 x 0.7	WPC+ NFC	11.0 +/- 10%

A4WP



Pic


W GOTREND P/N Size(mm) Type Inductance(uH)




Category 1 GW262408PR-SERIES 26.0 x 24.0 x 0.8 RX 0.82 +/- 10%




Category 1 GW431910PR-SERIES 53.89 x 19.21 x 1.1 RX 2.2 +/- 10%




Category 2 GW685709PR-SERIES 68.0 x 57.0 x 0.9 RX 1.9 +/- 10%



Class 1 GW353520PT-SERIES 35.0 x 35.0 x 2.0 TX 2.5 +/- 10%




Class 1 GW535322PT-SERIES 53.0 x 53.0 x 2.2 TX 3.7 +/- 10%




Class 2 GW10010007PT-SERIES 100.0 x 100.0 x 7.0 TX 3.2 +/- 10%



Class 2 GW1509007PT-SERIES 162.0 x 103.0 x 5.9 TX 4.5 +/- 10%




Class 3 GW22015007PT-SERIES 220.0 x 150.0 x 7.0 TX 1.9 +/- 10%



Class 3 GW19114164PT-SERIES 191.59 x 141.62 x 6.4 TX 3.8 +/- 10%

Module

GOTREND P/N	Size(mm)	Type	Input	Output
GMO-WCR0501T-A	17.0 x 7.0 x 2.0	RX	5.0V 1.0A	5.0V 0.1-0.3A
GMO-WCT0501G-B	24.0 x 24.0 x 2.8	TX	5.0V 0.3A	5.0V 0.5A
GMO-WCR0510T-A	35.0 x 55.0 x 1.5	RX	5.0V 1-2A	5.0V 1.0A
GMO-WCT0510T-C	R52.6 x 6.2	TX	5.0V 1.5A	5.0V 1.0A



Customize Design

